

## CLAIMS

Claim 1 is canceled.

1           2(currently amended).    An arrangement according to claim 11 ~~4~~,  
2       where the bracket is attachable to the wall-mounting rod in the vicinities of the  
3       end faces.

Claim 3 is canceled.

1           4(currently amended).    An arrangement according to claim 11 ~~4~~,  
2       wherein the at least one bracket includes a plurality of at least partially  
3       identically shaped said brackets.

1           5(currently amended).    An arrangement according to claim 11 ~~4~~,  
2       where the at least one bracket is configured for attachment to two sections of a  
3       wall-mounting rod that are to be coaxially arranged.

1           6(previously presented).   An arrangement according to claim 4, where  
2       the brackets are configured for attachment to two sections of a wall-mounting  
3       rod that are to be coaxially arranged, where the brackets have two attachment  
4       sections, said attachment sections of the brackets being engageable with ends  
5       of the two sections of the wall-mounting rod at a joint, one of the attachment  
6       sections of the brackets being configured for attaching the ~~a~~ terminating  
7       component for terminating one of the two sections of the wall-mounting rod at  
8       an other end of said one of the two sections of the wall mounting rod.

1           7(previously presented).   An arrangement according to claim 6, where  
2       the attachment section for attaching the terminating component has a device for  
3       one of a form-fit and an interference-fit attachment of the terminating  
4       component.

1           8(previously presented). An arrangement according to claim 6, where  
2 both attachment sections of the bracket have means for guiding the sections of  
3 the wall-mounting rod.

1           9(previously presented). An arrangement according to claim 6, where  
2 the two attachment sections of the bracket are separated by a land.

Claim 10 is canceled

1           11(previously presented). An arrangement for attaching hygienic articles  
2 such that their height will be adjustable, comprising:  
3 a wall-mounting rod that has a continuous, guiding profile for guiding a  
4 slide, extending over a full length of the wall-mounting rod between ends,  
5 at least one bracket for fastening the wall-mounting rod to a surface,  
6 wherein the arrangement leaves clear that part of the guiding profile used for  
7 guiding the slide,  
8 wherein the guiding profile includes a groove, and further comprising a  
9 lower terminating component including an extension of the groove, and  
10 wherein the bracket is attached to the wall-mounting rod by insertion of  
11 an attachment portion of the bracket into an end of the wall-mounting rod.

1           12(currently amended). An arrangement according to claim 11 ~~4~~,  
2 where the wall-mounting rod forms a length of stock with a hollow profile and  
3 the bracket engages an interior of the hollow profile.

1           13(currently amended). An arrangement according to claim 11 ~~4~~,  
2 where accessory items are attachable to the bracket.

1           14(previously presented). An arrangement according to claim 6, wherein  
2 the terminating component comprises a terminating collar.

1           15(previously presented). An arrangement according to claim 9, wherein  
2           the land forms a joint.

1           16(currently amended). An arrangement according to claim 11 ~~10~~,  
2           wherein the groove is on a front surface of the wall-mounting rod.

Claim 17 is canceled.

Claim 18 is canceled.